| Notice of Allowability | Application No. | Applicant(s) |
|---|--|-----------------|
| | 09/976,798 | TRAUTMAN ET AL. |
| | Examiner | Art Unit |
| | Catherine S. Williams | 3763 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to the response filed 4/11/06. | | |
| 2. The allowed claim(s) is/are 1-3 and 46-52. | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date | 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn | e |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/11/06 has been entered.

Drawings

The drawings were received on 4/11/06. These drawings are approved.

Allowable Subject Matter

Claims 1-3 and 46-52 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art fails to teach a method of transferring an agent through the stratum corneum that includes, *inter alia*, striking said microprotrusion member with an impact force, whereby said microprotrusion member imparts an energy on impact with the stratum corneum in the range of approximately 0.05 - 3 joules per cm squared of said microprotrusion member in no greater than 10 milliseconds.

The prior art most similar is to WO 00/09184 in view of Kheiri (USPN 6,364,889).

However, the examiner agrees with applicant's remarks regarding how this combination of references fails to teach the claimed invention. Specifically, that the combination of references

does not teach the claimed energy on impact range as stated above. Furthermore, applicant provides in their remarks that the application of an agent from the microprotrusion member with the claimed power density provides (i) an increased rate of delivery of the agent and (ii) a more uniform and consistent puncture depth across the microprotrusion array. Additionally, applicant states these benefits were not observed at lower power densities.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Catherine S. Williams whose telephone number is 571-272-4970. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas D. Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Catherine S. Williams

Catherin S. Willi

June 23, 2006

CATHERINE S. WILLIAMS PRIMARY EXAMINER

le 28 ple OTP E 12006 & APR 1 1 2006 &

REPLACEMENT SHEET 09/976,798 October 21, 2001




FIG. 2



REPLACEMENT SHEET 09/976,798 October 21, 2001




FIG. 3